Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
_1	3	"6330666".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:37
L2	38	wise-Adrian-Pin.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:46
L3	38	wise-Adrian-P.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:38
L4	28	Sotheran-Martin-W.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:38
L5	47	Robbins-William-P.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:38
L6	56	Jones-Anthony-M.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:38
L7	20	Finch-Helen-R.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:39
L8	19	Boyd-Kevin-J.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:39
L9	58	Claydon-Anthony-\$.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:39

L10	14	2 and 3 and 4 and 5 and 6 and 7 and 8 and 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:41
Lift	14	2 and 3 and 4 and 5 and 6 and 7 and 8 and 9 and standard and start and code and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 12:43
L12	0	(differnt and standard and user and extension and start and code). clm.	US-PGPUB	OR	ON	2005/12/09 12:44
L13	6	(different and standard and user and extension and start and code). clm.	US-PGPUB	OR	ON	2005/12/09 12:44
L14	497	different same standard same start same code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:47
L15	170	different same standard same start same code and user and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:47
L16	74	different same standard same start same code same user and extension	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:47
L17	5	16 and @ad<"19950101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:49
L18	5	15 and @ad<"19950101"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 12:49

```
9:Business & Industry(R) Jul/1994-2005/Nov 16
File
         (c) 2005. The Gale Group
     15:ABI/Inform(R) 1971-2005/Nov 17
File
         (c) 2005 ProQuest Info&Learning
     16:Gale Group PROMT(R) 1990-2005/Nov 17
File
         (c) 2005 The Gale Group
     20:Dialog Global Reporter 1997-2005/Nov 17
File
         (c) 2005 Dialog
      47: Gale Group Magazine DB(TM) 1959-2005/Nov 17
File
         (c) 2005 The Gale group
      75:TGG Management Contents(R) 86-2005/Nov W1
File
         (c) 2005 The Gale Group
      80:TGG Aerospace/Def.Mkts(R) 1982-2005/Nov 16
File
         (c) 2005 The Gale Group
      88:Gale Group Business A.R.T.S. 1976-2005/Nov 17
File
         (c) 2005 The Gale Group
      98:General Sci Abs/Full-Text 1984-2004/Dec
File
         (c) 2005 The HW Wilson Co.
File 112:UBM Industry News 1998-2004/Jan 27
         (c) 2004 United Business Media
File 141:Readers Guide 1983-2004/Dec
         (c) 2005 The HW Wilson Co
File 148: Gale Group Trade & Industry DB 1976-2005/Nov 17
         (c) 2005 The Gale Group
File 160:Gale Group PROMT(R) 1972-1989
         (c) 1999 The Gale Group
File 275: Gale Group Computer DB(TM) 1983-2005/Nov 16
         (c) 2005 The Gale Group
File 264:DIALOG Defense Newsletters 1989-2005/Nov 16
         (c) 2005 Dialog
File 369: New Scientist 1994-2005/Jul W4
         (c) 2005 Reed Business Information Ltd.
File 370:Science 1996-1999/Jul W3
         (c) 1999 AAAS
File 484: Periodical Abs Plustext 1986-2005/Nov W2
          (c) 2005 ProQuest
File 553: Wilson Bus. Abs. FullText 1982-2004/Dec
         (c) 2005 The HW Wilson Co
File 570: Gale Group MARS(R) 1984-2005/Nov 16
          (c) 2005 The Gale Group
File 608:KR/T Bus.News. 1992-2005/Nov 17
          (c) 2005 Knight Ridder/Tribune Bus News
File 620:EIU:Viewswire 2005/Oct 19
          (c) 2005 Economist Intelligence Unit
File 613:PR Newswire 1999-2005/Nov 17
          (c) 2005 PR Newswire Association Inc
File 621:Gale Group New Prod. Annou. (R) 1985-2005/Nov 17
          (c) 2005 The Gale Group
 File 623:Business Week 1985-2005/Nov 17
          (c) 2005 The McGraw-Hill Companies Inc
 File 624:McGraw-Hill Publications 1985-2005/Nov 17
          (c) 2005 McGraw-Hill Co. Inc
 File 634:San Jose Mercury Jun 1985-2005/Nov 16
          (c) 2005 San Jose Mercury News
 File 635:Business Dateline(R) 1985-2005/Nov 17
          (c) 2005 ProQuest Info&Learning
 File 636:Gale Group Newsletter DB(TM) 1987-2005/Nov 17
          (c) 2005 The Gale Group
File 647:CMP Computer Fulltext 1988-2005/Nov W1
          (c) 2005 CMP Media, LLC
 File 696:DIALOG Telecom. Newsletters 1995-2005/Nov 16
```

```
(c) 2005 Dialog
File 674: Computer News Fulltext 1989-2005/Oct W2
         (c) 2005 IDG Communications
File 810:Business Wire 1986-1999/Feb 28
         (c) 1999 Business Wire
File 813:PR Newswire 1987-1999/Apr 30
         (c) 1999 PR Newswire Association Inc
File 587: Jane's Defense&Aerospace 2005/Nov W2
         (c) 2005 Jane's Information Group
                Description
Set
        Items
                VIDEO?? OR VIDEO(3N)DATA OR MOVIE?? OR GRAPHIC?? OR IMAGE??
     14372855
S1
              OR MOVING() IMAGE?? OR PICTURE? OR PHOTO OR PHOTOS OR PHOTOGR-
                (PLURAL AND DIFFERENT OR MANY OR MULTI OR MULTIPLE) (3N) (S1-
S2
             (3N) STANDARD??)
                H()(261 OR 263 OR 264) OR MPEG OR JPEG OR GIF
S3
       234383
                ENCODE?? OR ENCODING
S 4
       317669
                 (BEGIN OR START?) (3N) (CODE?? OR CODING)
        22026
S5
                 (IDENTIFY OR IDENTIFIES OR IDENTIFICATION OR DETECT???) (3N-
S6
             ) S5
                 (USER?? OR EXTENSION) (3N) DATA
       302787
S7
                AU=(WISE, A? OR WISE A? OR SOTHERAN, M? OR SOTHERAN M? OR -
S8
             ROBBINS, W? OR ROBBINS W, OR JONES, A? OR JONES A? OR FINCH, -
             H? OR FINCH H? OR BOYD, K? OR BOYD K? OR CLAYDON, A? OR CLAY-
             DON A?)
                 (SPATIAL OR TEMPORAL) (3N) S1
         7121
S9
                 (DECODE?? OR DECODING) (3N) (S9 OR TOKEN?? OR SYMBOL??)
          973
S10
                WATER()MARK??? OR MARK??? OR (WATER()MARK??? OR MARK???) (-
S11
     34018876
             3N) (CODE?? OR CODING??) OR FINGERPRINT? OR TRIGGER? OR TAG? (3-
             N)OBJECT?? OR ENCRYPT? OR CRYPT?
                H()(261 OR 263 OR 264) AND (MPEG OR JPEG OR GIF)
S12
          6508
                 (S1 OR S2 OR S9 OR S10) (3N) (S3 OR S12)
       117683
S13
         7951
                 S13(3N)S4
S14
                 S14(3N)(S5 OR S6)
S15
            0
                 S14(3N)S7
S16
             6
             0
                 S16(3N)S11
S17
                 RD S16 (unique items)
            1
S18
                 S14 (3N) S11
S19
          137
                 S19 NOT PY>1995
S20
            7
                 RD (unique items)
             5
S21
                 (S14 OR S19) AND S8
            0
S22
```

(Item 1 from file: 16) 18/3,K/1 DIALOG(R) File 16: Gale Group PROMT(R) (c) 2005 The Gale Group. All rts. reserv.

Supplier Number: 47066826 (USE FORMAT 7 FOR FULLTEXT) 04802291 ENTERTAINMENT-QUALITY VIDEO COMES TO NETWORKED DESKTOPS AS PRECEPT ADDS MPEG SUPPORT TO IP/TV; ENHANCED BROWSER PLUG-IN LETS WEBMASTER CUSTOMIZE CONTROLS

News Release, pN/A Jan 27, 1997 Record Type: Fulltext Language: English Document Type: Magazine/Journal; Trade Word Count: 988

(USE FORMAT 7 FOR FULLTEXT)

TEXT:

...a broadcast from the MBONE (the Multicast Backbone portion of the Internet). IP/TV supports MPEG audio and video as separately encoded data streams, letting the user play audio-only or audio and video programs. The viewer handles synchronization for sessions using...

21/3,K/1 (Item 1 from file: 148)
DIALOG(R)File 148:Gale Group Trade & Industry DB
(c) 2005 The Gale Group. All rts. reserv.

08101071 SUPPLIER NUMBER: 17290877 (USE FORMAT 7 OR 9 FOR FULL TEXT)
LSI LOGIC ENTERS MPEG -2 VIDEO ENCODER MARKET; PRODUCT SAMPLING TO
MAJOR CUSTOMERS BEGINS

PR Newswire, p905SJ002

Sep 5, 1995

LANGUAGE: English RECORD TYPE: Fulltext

WORD COUNT: 611 LINE COUNT: 00062

LSI LOGIC ENTERS MPEG -2 VIDEO ENCODER MARKET; PRODUCT SAMPLING TO MAJOR CUSTOMERS BEGINS

21/3,K/2 (Item 2 from file: 148)

DIALOG(R) File 148: Gale Group Trade & Industry DB (c) 2005 The Gale Group. All rts. reserv.

07656882 SUPPLIER NUMBER: 16216151 (USE FORMAT 7 OR 9 FOR FULL TEXT)
Minerva Systems introduces the Compressionist: First MPEG platform to
support "human-assisted" encoding.

Business Wire, p01230114

Jan 23, 1995

LANGUAGE: ENGLISH RECORD TYPE: FULLTEXT

WORD COUNT: 787 LINE COUNT: 00068

... human-assisted encoding process results in the best quality compressed video.

Applications

In the emerging market of digital video publishing, MPEG encoding is the critical enabling technology. Encoding makes digital video distribution viable, trimming bulky video data...

21/3,K/3 (Item 1 from file: 647)
DIALOG(R)File 647:CMP Computer Fulltext
(c) 2005 CMP Media, LLC. All rts. reserv.

01110744 CMP ACCESSION NUMBER: EBNS0005

Will MPEG's second screening be a success story?

Mark Hachman

ELECTRONIC BUYER'S NEWS, n 1033, PGE18
JOURNAL CODE: EBN LANGUAGE: English

RECORD TYPE: Fulltext

SECTION HEADING: EBN Extra Supplement - The next Marketable PC

WORD COUNT: 2328

TEXT:

hit the PC with all the impact of a feather, an unimpressed U.S. PC market refused to watch MPEG -1- encoded movies on a 640-Mbyte CD-ROM. If consumers chose to watch digital video, it was...

21/3,K/4 (Item 1 from file: 810)

DIALOG(R) File 810: Business Wire

(c) 1999 Business Wire . All rts. reserv.

0422672 BW0091

C CUBE DIVICOM: C-Cube selected by DiviCom as key video compression IC supplier

August 8, 1994

Byline: Business Editors & Computer Writers

...Cube's Video RISC Processor and associated MPEG encoding algorithms are the most broadly used MPEG video encoding systems in the market . These chips are the foundation of the real-time encoders used in Hughs Electronics' DirecTV...

21/3,K/5 (Item 2 from file: 810)
DIALOG(R)File 810:Business Wire
(c) 1999 Business Wire . All rts. reserv.

0359576 BW033

C CUBE MICROSYSTEMS: C-Cube introduces VideoRISC Compression Architecture

October 4, 1993

Byline: Business Editors/Computer Writers

...expertise in compression technology has given Scientific-Atlanta a definite advantage in the digital television \mbox{market} ."

The CLM4600 Broadcast MPEG 2 Video Encoder consists of micro-applications software running on eight (NTSC) or ten (PAL) VCPs, which provide...

```
2:INSPEC 1898-2005/Nov W1
File
         (c) 2005 Institution of Electrical Engineers
       6:NTIS 1964-2005/Nov W1
File
         (c) 2005 NTIS, Intl Cpyrght All Rights Res
       8:Ei Compendex(R) 1970-2005/Nov W1
File
         (c) 2005 Elsevier Eng. Info. Inc.
     34:SciSearch(R) Cited Ref Sci 1990-2005/Nov W2
File
         (c) 2005 Inst for Sci Info
      35:Dissertation Abs Online 1861-2005/Oct
File
         (c) 2005 ProQuest Info&Learning
      65:Inside Conferences 1993-2005/Nov W2
File
         (c) 2005 BLDSC all rts. reserv.
File
      94:JICST-EPlus 1985-2005/Sep W2
         (c) 2005 Japan Science and Tech Corp(JST)
      95:TEME-Technology & Management 1989-2005/Oct W2
File
         (c) 2005 FIZ TECHNIK
      99: Wilson Appl. Sci & Tech Abs 1983-2005/Oct
File
         (c) 2005 The HW Wilson Co.
File 144: Pascal 1973-2005/Nov W1
         (c) 2005 INIST/CNRS
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
         (c) 1998 Inst for Sci Info
File 583: Gale Group Globalbase (TM) 1986-2002/Dec 13
         (c) 2002 The Gale Group
File 603: Newspaper Abstracts 1984-1988
         (c) 2001 ProQuest Info&Learning
File 483: Newspaper Abs Daily 1986-2005/Nov 15
         (c) 2005 ProQuest Info&Learning
File 248:PIRA 1975-2005/Oct W5
         (c) 2005 Pira International
Set
        Items
                 Description
                 VIDEO?? OR VIDEO(3N) DATA OR MOVIE?? OR GRAPHIC?? OR IMAGE??
S1
      4116554
               OR MOVING() IMAGE?? OR PICTURE? OR PHOTO OR PHOTOS OR PHOTOGR-
             APH??
S2
          464
                 (PLURAL AND DIFFERENT OR MANY OR MULTI OR MULTIPLE) (3N) (S1-
              (3N) STANDARD??)
                 H()(261 OR 263 OR 264) OR MPEG OR JPEG OR GIF
S3
        54060
S4
       495024
                 ENCODE?? OR ENCODING
                 (BEGIN OR START?) (3N) (CODE?? OR CODING)
S5
         1861
$6
           28
                 (IDENTIFY OR IDENTIFIES OR IDENTIFICATION OR DETECT???) (3N-
             )S5
        46154
                 (USER?? OR EXTENSION) (3N) DATA
S7
                 AU=(WISE, A? OR WISE A? OR SOTHERAN, M? OR SOTHERAN M? OR -
S8
        20271
             ROBBINS, W? OR ROBBINS W, OR JONES, A? OR JONES A? OR FINCH, - H? OR FINCH H? OR BOYD, K? OR BOYD K? OR CLAYDON, A? OR CLAY-
              DON A?)
                 (SPATIAL OR TEMPORAL) (3N) S1
S9
        37659
                 (DECODE?? OR DECODING) (3N) (S8 OR TOKEN?? OR SYMBOL??)
S10
         4094
      3467623
                 WATER()MARK??? OR MARK??? OR (WATER()MARK??? OR MARK???)(-
S11
              3N) (CODE?? OR CODING??) OR FINGERPRINT? OR TRIGGER? OR TAG? (3-
              N) OBJECT?? OR ENCRYPT? OR CRYPT?
                 (RECEIVE?? OR RECEIVING OR RECEPTION OR RECEIVER??) (3N) S1
S12
        15008
          304
                 (S12 OR S2 OR S9) (3N) S3,
S13
S14
           13
                 S13(3N)S4
S15
            0
                 S14(3N)(S5 OR S6)
S16
            7
                 RD S14 (unique items)
S17
            0
                 S16 NOT PY>1995
            6
                 S14 NOT S16
S18
            0
                 S13(3N)(S5 OR S6)
S19
S20
            0
                 S13(3N)S10
```

```
S13(3N)S11
S21
            1
                 S13(3N)S7
            0
S22
                 (S1 OR S13) (3N) S4
        16741
S23
                 $23(3N)(S5 OR S6)
S24
            0
                 S23(3N)S7
            5
S25
                 RD (unique items)
S26
                 S26 NOT PY>1995
S27
            2
                 S23(3N)(S8 OR S10)
S28
           56
            3
                 S28 (3N) S11
S29
            3
                 RD (unique items)
S30
                 S30 NOT PY>1995
            0
S31
                 S28 NOT (S21 OR S27)
           56
S32
                 RD (unique items)
S33
           51
                 S33 NOT PY>1995
S34
            4
          174
                 S23(3N)S11
S35
                 S35 NOT PY>1995
S36
           17
                 RD (unique items)
S37
           12
                 S37(3N)(S5:S8)
S38
            0
                 S37 NOT MARKET
S39
           10
                 (S13 OR S23 OR S35) AND S8
S40
            0
```

(Item 1 from file: 2) 21/3,K/1

2:INSPEC DIALOG(R)File

(c) 2005 Institution of Electrical Engineers. All rts. reserv.

06172762 INSPEC Abstract Number: B9603-1265F-030, C9603-5135-012

Title: Survey of decoders for MPEG-1 compressed video and audio signals

Author(s): Heins, K.

vol.44, no.17 p.106-111 Journal: Elektronik

Publisher: Franzis-Verlag, Publication Date: 22 Aug. 1995 Country of Publication: West Germany

CODEN: EKRKAR ISSN: 0013-5658

SICI: 0013-5658(19950822)44:17L.106:SDMC;1-J

Material Identity Number: E071-95017

Language: German Subfile: B C

Copyright 1996, IEE

...Abstract: SGS-Thompson STi3440 in 0.5 micron technology, and the Philips SAA731. Suggests that the **market** for **MPEG** -1 based **video** receivers will grow to \$4 million in 1996.

27/3,K/1 (Item 1 from file: 2)

DIALOG(R) File 2:INSPEC

(c) 2005 Institution of Electrical Engineers. All rts. reserv.

02668247 INSPEC Abstract Number: B81020952

Title: The critical satellite technical issues of future pervasive broadband low-cost communication networks

Author(s): Harvey, R.L.

Author Affiliation: Lincoln Lab., MIT, Lexington, MA, USA Journal: Acta Astronautica vol.7, no.10 p.1191-211 Publication Date: Oct. 1980 Country of Publication: UK

CODEN: AASTCF ISSN: 0094-5765

Language: English

Subfile: B

...Abstract: of signal waveform design, projected spacecraft technology, satellite launch options and satellite cost. With DPCM video signal encoding, 32 Mb/s user -to- user data rate per channel, 10% overhead, two orthogonal polarizations, and crosstalk loss limited to 1 dB...

27/3,K/2 (Item 1 from file: 8)

DIALOG(R) File 8:Ei Compendex(R)

(c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.

04107402 E.I. No: EIP95032617965

Title: Spinning the world-wide web an HTML primer

Author: Powell, James

Corporate Source: Virginia Polytechnic Inst and State Univ

Source: Database v 18 n 1 Feb-Mar 1995. p 54-59

Publication Year: 1995

CODEN: DTBSDO ISSN: 0162-4105

Language: English

Descriptors: *Computer programming languages; Database systems; Word processing; Desktop publishing; Computer software; Computer aided software engineering; Data structures; Macros; Graphical user interfaces; Encoding (symbols)

```
(Item 1 from file: 8)
34/3, K/1
DIALOG(R) File 8:Ei Compendex(R)
(c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.
           E.I. No: EIP95102903002
   Title: Subband coding of color images with multiplierless encoders and
decoders
  Author: Kossentini, Faouzi; Chung, Wilson; Smith, Mark J.T.
 Corporate Source: Georgia Inst of Technology, Atlanta, GA, USA
 Conference Title: Proceedings of the 1995 IEEE International Symposium on
Circuits and Systems-ISCAS 95. Part 3 (of 3)
                               Seattle,
                                                   USA
                                                         Conference
                                                                        Date:
  Conference
                 Location:
19950430-19950503
  E.I. Conference No.: 43814
Source: Proceedings - IEEE International Symposium on Circuits and Systems v 3 1995. IEEE, Piscataway, NJ, USA, 95CB35771. p 1792-1795
  Publication Year: 1995
  CODEN: PICSDI
                ISSN: 0271-4310
  Language: English
  Descriptors: *Image coding; Color image processing; Decoding;
Encoding (symbols); Computa tional complexity; Algorithms; Image
compression; Mathematical models; Constraint theory; Statistical methods
              (Item 2 from file: 8)
 34/3, K/2
                8:Ei Compendex(R)
DIALOG(R)File
(c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.
03877360
           E.I. No: EIP94061307645
   Title: Mirroring and rotating images in linear quadtree form with few
machine instructions
  Author: Schrack, Gunther; Gargantini, Irene
  Corporate Source: Univ of British Columbia, Vancouver, BC, Can
  Source: Image and Vision Computing v 11 n 2 Mar 1993. p 112-118
  Publication Year: 1993
                ISSN: 0262-8856
  CODEN: IVCODK
  Language: English
  Descriptors: *Computer vision; Algorithms; Image coding; Trees
(mathematics); Codes ( symbols ); Decoding; Encoding (symbols); Data
st ructures; Image processing; Geometry
              (Item 3 from file: 8)
 34/3, K/3
               8:Ei Compendex(R)
DIALOG(R) File
(c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.
03635639
         E.I. No: EIP93040749305
   Title: Design challenges of full-motion video for PC-compatible computer
systems
  Author: Hodgson, David
  Corporate Source: Media Vision Inc, Fremont, CA, USA
  Source: SMPTE Journal v 102 n 3 Mar 1993. p 207-216
  Publication Year: 1993
  CODEN: SMPJDF ISSN: 0036-1682
  Language: English
  Descriptors: *Computer systems; Encoding ( symbols ); Decoding ;
Computer graphics ; Personal computers
```

(Item 4 from file: 8) 34/3,K/4 DIALOG(R) File 8:Ei Compendex(R) (c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.

03626618 E.I. No: EIP93030721673

Title: Data to video encoding and decoding system

Author: Jensen, Peter

Corporate Source: Merlin Engineering Works, Palo Alto, CA, USA

Conference Title: 28th International Telemetering Conference - ITC/USA/92

Conference Location: San Diego, CA, USA Conference Date: 19921026

E.I. Conference No.: 17861

Source: International Telemetering Conference (Proceedings) v 28 1992. Publ by Int Foundation for Telemetering, Woodland Hills, CA, USA. p 257-262

Publication Year: 1992

ISBN: 1-55617-386-5 ISSN: 0884-5123 CODEN: ITCOD6

Language: English

Descriptors: *Dat a recording; Video recording; Encoding (symbols) ; Signal encoding; Decoding; Video signal processing; Data storage equipment; Aircraft instruments

39/3,K/1 (Item 1 from file: 2)

DIALOG(R) File 2: INSPEC

(c) 2005 Institution of Electrical Engineers. All rts. reserv.

05697278 INSPEC Abstract Number: C9408-5260B-027

Title: Region of interest detection for fingerprint classification

Author(s): Trenkle, J.M.

Author Affiliation: Environmental Res. Inst. of Michigan, Ann Arbor, MI, USA

Journal: Proceedings of the SPIE - The International Society for Optical Engineering vol.2103 p.48-59

Publication Date: 1994 Country of Publication: USA

CODEN: PSISDG ISSN: 0277-786X

U.S. Copyright Clearance Center Code: 0 8195 1390 9/94/\$6.00

Conference Title: 22nd AIPR Workshop Interdisciplinary Computer Vision: Applications and Changing Needs

Conference Sponsor: SPIE; AIPR Executive Comm.; CIA

Conference Date: 13-15 Oct. 1993 Conference Location: Washington, DC,

Language: English

Subfile: C

Abstract: Discusses the use of neural networks to locate regions of interest (ROIs) for **fingerprint** classification using feature- **encoded fingerprint images**. The target areas are those useful for the classification of fingerprints: whorls, loops, arches, and...

...Identifiers: feature- encoded fingerprint images;

39/3,K/2 (Item 2 from file: 2)

DIALOG(R) File 2: INSPEC

(c) 2005 Institution of Electrical Engineers. All rts. reserv.

05689869 INSPEC Abstract Number: B9407-6140C-168, C9407-5260B-067

Title: Information-preserving two-stage coding for multilevel fingerprint images using adaptive prediction based on upper bit signal direction

Author(s): Mizuno, S.

Author Affiliation: C&C Syst. Res. Labs., NEC Corp., Kawasaki, Japan

Journal: Optical Engineering vol.33, no.3 p.875-80 Publication Date: March 1994 Country of Publication: USA

CODEN: OPEGAR ISSN: 0091-3286

U.S. Copyright Clearance Center Code: 0091-3286/94/\$6.00

Language: English

Subfile: B C

...Abstract: the proposed scheme, the predictor and entropy coders are designed to maximize their efficiency for **encoding** multilevel **fingerprint images**. The coding efficiency obtained by this scheme is much higher than conventional adaptive predictive coding...

... code length reduction. Although the proposed method has been confirmed as being efficient only for **encoding** multilevel **fingerprint images**, it can be efficiently applied for encoding ordinary images, such as human faces, natural scenes...

39/3,K/3 (Item 3 from file: 2)

DIALOG(R) File 2: INSPEC

(c) 2005 Institution of Electrical Engineers. All rts. reserv.

INSPEC Abstract Number: B88014822, C88013683

Title: Automatic fingerprint recognition

Author(s): Elliott, C.J.

Author Affiliation: Smith Associates Ltd., Guildford, UK

Book Title: Parallel processing. State of the art report p.3-17

Editor(s): Jesshope, C.; O'Gorman, R.J.; Stewart, J.M. Publisher: Pergamon Infotech, Maidenhead, UK

ix+336 pp. Publication Date: 1987 Country of Publication: UK

ISBN: 0 08 034113 6 Language: English Subfile: B C

... Abstract: operating speed of suitable conventional computers prevented the technique from being widely used. Both the encoding of fingerprint and the searching of the database are amenable to parallel processing, although very different approaches...

(Item 4 from file: 2) 39/3,K/4

2:INSPEC DIALOG(R) File

(c) 2005 Institution of Electrical Engineers. All rts. reserv.

INSPEC Abstract Number: B85036417, C85026465

Title: Fingerprint data compression

Author(s): Abdelmalek, N.N.; Kasvand, T.; Goupil, D.; Otsu, N.

Author Affiliation: Div. of Electr. Eng., Nat. Res. Council of Canada,

Ottawa, Ont., Canada

Conference Title: Seventh International Conference on Pattern Recognition

p.834-6 vol.2 (Cat. No. 84CH2046-1)

Publisher: IEEE Comput. Soc. Press, Silver Spring, MD, USA

1984 Country of Publication: USA Date: Publication

(xxxviii+1385) pp.

ISBN: 0 8186 0545 6

U.S. Copyright Clearance Center Code: CH2046-1/84/0000-0834\$01.00

Conference Sponsor: Int. Assoc. Pattern Recognition; Canadian Inf.

Processing Soc.; Canadian Image Processing & Pattern Recognition Soc

Conference Date: 30 July-2 Aug. 1984 Conference Location: Montreal,

Que., Canada

Language: English

Subfile: B C

encoding Fingerprint research, such as Abstract: classification, and image retrieval, has been given little attention in the literature lately. This is also true for...

(Item 1 from file: 6) 39/3, K/5

DIALOG(R) File 6:NTIS

(c) 2005 NTIS, Intl Cpyrght All Rights Res. All rts. reserv.

1448533 NTIS Accession Number: AD-A207 814/5

Radon Transform Analysis of a Probabilistic Method for Image Generation

(Annual rept. no. 2, 1 Apr 88-31 Mar 89)

Berger, M. A.

Carnegie-Mellon Univ., Pittsburgh, PA.

Corp. Source Codes: 005343000; 403586

Sponsor: Air Force Office of Scientific Research, Bolling AFB, DC.

Report No.: AFOSR-TR-89-0606

12 Apr 89 20p Languages: English Journal Announcement: GRAI8918

Order this product from NTIS by: phone at 1-800-553-NTIS (U.S. customers); (703)605-6000 (other countries); fax at (703)321-8547; and email at orders@ntis.fedworld.gov. NTIS is located at 5285 Port Royal Road, Springfield, VA, 22161, USA.

NTIS Prices: PC A03/MF A01

... used involve stochastic optimization, computational geometry, the Radon transform, dynamical systems and ergodic theory for Markov chains. Keywords: Encoding, Image compression, Image processing, Markov chain. (MJM)

39/3,K/6 (Item 1 from file: 8)

DIALOG(R) File 8:Ei Compendex(R)

(c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.

03571097 E.I. Monthly No: EIM9303-011210

Title: 7th Workshop on Multidimensional Signal Processing - MDSP.

Author: Tekalp, Murat A. (Ed.)

Conference Title: 7th Workshop on Multidimensional Signal Processing - MDSP

Conference Location: Lake Placid, NY, USA Conference Date: 19910923

E.I. Conference No.: 17362

Source: Signal Processing v 28 n 3 Sep 1992. Publ by Elsevier Science

Publ BV (North-Holland), Amsterdam, Neth. p 227-348

Publication Year: 1992

CODEN: SPRODR ISSN: 0165-1684

Language: English

Identifiers: EIREV; MARKOV PROCESSES; IMAGE COMMUNICATION; SUBBAND ENCODING; HDTV SIGNALS; INTELLIGENT IMAGING

39/3,K/7 (Item 2 from file: 8)

DIALOG(R) File 8:Ei Compendex(R)

(c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.

01868827 E.I. Monthly No: EIM8505-025468

Title: DIGITAL SIGNAL PROCESSING IN DIGITAL TRANSMISSION.

Author: Messerschmitt, David G.

Corporate Source: Univ of California, Berkeley, Dep of Electrical Engineering & Computer Science, Berkeley, CA, USA

Conference Title: Proceedings - 1984 IEEE International Symposium on Circuits and Systems.

Conference Location: Montreal, Que, Can Conference Date: 19840507

E.I. Conference No.: 05672

Source: Proceedings - IEEE International Symposium on Circuits and Systems 1984 v 3. Publ by IEEE, New York, NY, USA. Available from IEEE Service Cent (Cat n 84CH1993-5), Piscataway, NJ, USA p 958-961

Publication Year: 1984

CODEN: PICSDI Language: English

Identifiers: ADAPTIVE EQUALIZATION; VIDEO ENCODING; TRANSMULTIPLEXERS; ENCRYPTION; ECHO CANCELLATION; DIGITAL TRANSMISSION

39/3,K/8 (Item 3 from file: 8)

DIALOG(R) File 8:Ei Compendex(R)
(c) 2005 Elsevier Eng. Info. Inc. All rts. reserv.

01255804 E.I. Monthly No: EIM8211-051839

Title: REDUCING STORAGE REQUIREMENTS OF DIGITIZED FINGERPRINT IMAGES.

Author: de Bruyne, P.; Orum, J.

Corporate Source: Eidg Tech Hochsch, Zurigh, Switz

Conference Title: Proceedings - 1982 Carnahan Conference on Security Technology.

Conference Location: Lexington, Ky, USA Conference Date: 19820512

E.I. Conference No.: 01201

Source: University of Kentucky, Office of Engineering Services, (Bulletin) UKY BU 127 May 1982. Publ by Univ of Ky, Lexington, USA. Available from IEEE Serv Cent (Cat n 82CH1775-6), Piscataway, NJ, USA p 1-6 Publication Year: 1982

CODEN: UKOBDS ISBN: 0-89779-046-4

Language: English

Identifiers: FINGERPRINTS; SOURCE ENCODING; IMAGE REPRESENTATION; SYNTACTIC CONTEXT-FREE GRAMMAR; DATA COMPRESSION; FEATURE EXTRACTION; COMPUTER VISION; DISC STORAGE OF TEN...

39/3,K/9 (Item 1 from file: 94)

DIALOG(R) File 94: JICST-EPlus

(c) 2005 Japan Science and Tech Corp(JST). All rts. reserv.

00905328 JICST ACCESSION NUMBER: 89A0313295 FILE SEGMENT: JICST-E Hierarchical representation of the two-value image and its encoding of Markov model.

ONO FUMITAKA (1); YOSHIDA MASAYUKI (1); KINO SHIGENORI (1); KIMURA TOMOHIRO (1); SEMASA TAKAYOSHI (1)

(1) Mitsubishidenki Tsushinshisutemuken

Gazo Denshi Gakkai Kenkyukai Koen Yoko, 1989, VOL.109th, PAGE.31-36, FIG.6, TBL.2, REF.4

JOURNAL NUMBER: S0837AAM ISSN NO: 0285-3957

UNIVERSAL DECIMAL CLASSIFICATION: 681.3:621.397.3 621.394 LANGUAGE: Japanese COUNTRY OF PUBLICATION: Japan

DOCUMENT TYPE: Conference Proceeding

ARTICLE TYPE: Original paper MEDIA TYPE: Printed Publication

Hierarchical representation of the two-value image and its encoding of Markov model.

39/3,K/10 (Item 1 from file: 144)

DIALOG(R) File 144: Pascal

(c) 2005 INIST/CNRS. All rts. reserv.

08385616 PASCAL No.: 88-0386370

A new class of Markov processes for image encoding

BARNSLEY M F; ELTON J H

Georgia inst. technology, school mathematics, Atlanta GA 30332, USA

Journal: Advances in applied probability, 1988, 20 (1) 14-32

Language: ENGLISH

A new class of Markov processes for image encoding

```
(c) 2005 European Patent Office
File 347: JAPIO Nov 1976-2005/Jul (Updated 051102)
         (c) 2005 JPO & JAPIO
File 350: Derwent WPIX 1963-2005/UD, UM &UP=200573
         (c) 2005 Thomson Derwent
File 371: French Patents 1961-2002/BOPI 200209
         (c) 2002 INPI. All rts. reserv.
                Description
Set
        Items
                VIDEO?? OR VIDEO(3N) DATA OR MOVIE?? OR GRAPHIC?? OR IMAGE??
      2231237
S1
              OR MOVING() IMAGE?? OR PICTURE? OR PHOTO OR PHOTOS OR PHOTOGR-
                (PLURAL AND DIFFERENT OR MANY OR MULTI OR MULTIPLE) (3N) (S1-
S2
             (3N) STANDARD??)
                H()(261 OR 263 OR 264) OR MPEG OR JPEG OR GIF
S3
        15542
       204647
                ENCODE?? OR ENCODING
S4
                (BEGIN OR START?) (3N) (CODE?? OR CODING)
S5
         3966
                (IDENTIFY OR IDENTIFIES OR IDENTIFICATION OR DETECT???) (3N-
          442
S6
             ) S5
        42094
S7
                (USER?? OR EXTENSION) (3N) DATA
                AU=(WISE, A? OR WISE A? OR SOTHERAN, M? OR SOTHERAN M? OR -
         1076
S8
             ROBBINS, W? OR ROBBINS W, OR JONES, A? OR JONES A? OR FINCH, -
             H? OR FINCH H? OR BOYD, K? OR BOYD K? OR CLAYDON, A? OR CLAY-
S9
         3852
                 (SPATIAL OR TEMPORAL) (3N) S1
                 (DECODE?? OR DECODING) (3N) (S9 OR TOKEN?? OR SYMBOL??)
S10
         1692
                WATER()MARK??? OR MARK??? OR (WATER()MARK??? OR MARK???) (-
S11
       425698
             3N) (CODE?? OR CODING??) OR FINGERPRINT? OR TRIGGER? OR TAG? (3-
             N) OBJECT?? OR ENCRYPT? OR CRYPT?
                 (S1 OR S2 OR S9 OR S10)(3N)S3
S12
         6226
         1127
                S12(3N)S4
S13
                S13(3N)(S5 OR S6)
S14
            0
            7
                 S13 AND (S5 OR S6)
S15
                 S15 NOT AD=19950202:20051117/PR
S16
            2
                S13(3N)S7
S17
                 S17 NOT S16
S18
                 S13(3N)S11
S19
                 S19 NOT (S16 OR S18)
S20
                S13 AND S8
S21
```

File 344: Chinese Patents Abs Aug 1985-2005/May

(Item 1 from file: 350) 16/3,K/1 DIALOG(R) File 350: Derwent WPIX (c) 2005 Thomson Derwent. All rts. reserv. **Image available** 016450168 WPI Acc No: 2004-608084/200459 XRPX Acc No: N04-481133 Moving image decoder for mobile telephone, detects start code in encoded data in parallel operation with decoding based on which output of decoded image is controlled Patent Assignee: MITSUBISHI ELECTRIC CORP (MITQ) Number of Countries: 001 Number of Patents: 001 Patent Family: Applicat No Kind Date Patent No Kind Date 20040819 JP 200320160 20030129 200459 B Α JP 2004235820 A Priority Applications (No Type Date): JP 200320160 A 20030129 Patent Details: Filing Notes Main IPC Patent No Kind Lan Pg 12 H04N-007/24 JP 2004235820 A Moving image decoder for mobile telephone, detects start encoded data in parallel operation with decoding based on which output of decoded image... Abstract (Basic): A detector detects the start code contained in the encoded data by collating the encoded data with sequential bit pattern, in parallel with decoding operation. A controller controls the output of decoded image based on the detected start codes . For decoding moving image data encoded by MPEG -4 format, in mobile telephone... detection is reliably performed, thereby the error ...The start code is detected efficiently without increasing number of decoding steps... (Item 2 from file: 350) 16/3,K/2 DIALOG(R)File 350:Derwent WPIX (c) 2005 Thomson Derwent. All rts. reserv. **Image available** 016186511 WPI Acc No: 2004-344397/200432 XRPX Acc No: N04-275300 Data analysis system in digital data transmission system, starts analyzing header data of predetermined number, based on timing generated with respect to detection of start code showing head of packet from input data stream Patent Assignee: SONY CORP (SONY) Number of Countries: 001 Number of Patents: 001 Patent Family: Week Patent No Kind Date Applicat No Kind Date 20020927 200432 B 20040415 JP 2002284174 Α JP 2004120632 A Priority Applications (No Type Date): JP 2002284174 A 20020927 Patent Details: Main IPC Filing Notes Patent No Kind Lan Pg

... analyzing header data of predetermined number, based on timing

15 H04N-007/24

JP 2004120632 A

generated with respect to detection of start code showing head of packet from input data stream

Abstract (Basic):

... An analysis unit analyzes the header data of predetermined bit number following the **start code** among data currently stored in a packet data storage unit. The system starts analyzing the header data of predetermined number, based on the timing generated with respect to **detection** of **start code** showing head of packet from input data stream.

... For analyzing data during separation of data e.g. multiplex video encoding data, audio **encoding** data in moving **picture** expert group system (MPEG), digital data transmission system...

... The header data of the predetermined number following the **start** code is efficiently analyzed...

... start code detector (21

16/3,K/3 (Item 3 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

016085777 **Image available**
WPI Acc No: 2004-243652/200423

XRPX Acc No: N04-193337

Image data receiver for advanced video encoding data, sets error indicating flag to header portion of image unit containing packet set with error flag

Patent Assignee: MATSUSHITA DENKI SANGYO KK (MATU)

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Week
JP 2004056169 A 20040219 JP 2002206670 A 20020716 200423 B

Priority Applications (No Type Date): JP 2002206670 A 20020716

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

JP 2004056169 A 12 H04N-007/08

Abstract (Basic):

... Image data receiver for advanced video encoding data in MPEG -4 next generation video encoding stream...

...Prevents malfunctioning by incorrect recognition of **start code** in receiver, efficiently...

Technology Focus:

The video data satisfies the specification stipulated in the MPEG -4 next generation video encoding standard.

16/3,K/4 (Item 4 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

010684757 **Image available**
WPI Acc No: 1996-181713/199619

XRPX Acc No: N96-152722

Video disk recording and playback method - recording image information table on video disk containing start addresses of MPEG encoded data

representing images, and of data required for reproducing coded images
Patent Assignee: MITSUBISHI DENKI KK (MITQ); MITSUBISHI ELECTRIC CORP
(MITQ); ASAMURA Y (ASAM-I); KASEZAWA T (KASE-I); KIYOSE Y (KIYO-I);
MISHIMA H (MISH-I); NAGASAWA M (NAGA-I); OHATA H (OHAT-I); SHIRAKAWA K
(SHIR-I)

Inventor: ASAMURA Y; KASEZAWA T; KIYOSE Y; MISHIMA H; NAGASAWA M; OHATA H;
SHIRAKAWA K

Number of Countries: 006 Number of Patents: 025

	mer or count		. 000 1.01						
	ent Family:	7.2 mm al	Data	7~~	olicat No	Kind	Date	Week	
		Kind	Date		9520627	A	19951009	199619	В
	2294173	A	19960417			A	19951009	199627	ט
	19539400	A1	19960530		195039400			199627	
	8111843	Α	19960430		94245618	A	19941011		
	8130700	Α	19960521		94265421	A	19941028	199630	
	8140043	Α	19960531		94276542	Α	19941110	199632	
JΡ	8163497	Α	19960621		94296697	Α	19941130	199635	
DE	19539400	C2	19970814	DE	195039400	Α	19951011	199736	
CN	1137151	Α	19961204	CN	95119130	Α	19951011	199805	
GB	2294173	В	19981209	GB	9520627	Α	19951009	199851	
	5949953	Α	19990907	US	95539339	Α	19951004	199943	
••	0,1,1,1,1,1			US	97887929	Α	19970703		
KD	219748	В1	19990901		9534601	Α	19951010	200104	
US	20010031132	A1	20011018		95539339	Α	19951004	200166	
03	20010031132	211	20011010		97887929	A	19970703		
					99327953	A	19990608		
110	20020044760	A1	20020418		95539339	A	19951004	200228	
05	20020044700	AI	20020410		97887929	A.	19970703		
					99327953	A.	19990608		
			•		200111284	A	20011211		
		- 0	00000010				19941011	200314	
	3375431	B2	20030210		94245618	A		200314	
	3370457	В2	20030127		94276542	A	19941110		
JP		B2	20030407		94296697	A	19941130	200324	
US	6539164	B2	20030325		95539339	A	19951004	200325	
					97887929	Α	19970703		
					99327953	Α	19990608		
CN	1404055	Α	20030319		95119130	Α	19951011	200344	
				CN	2002140310	Α	19951011		
JP	2003179877	A	20030627	JP	94276542	Α	19941110	200351	
						Α	19941110		
CN	1492433	Α	20040428	CN	95119130	Α	19951011	200446	
•				CN	2002160591	Α	19951011		
JP	2004215291	Α	20040729	JΡ	94265421	Α	19941028	200450	
01	2001210071			JΡ	200434599	Α	20040212		
CN	1527598	Α	20040908		95119130	Α	19951011	200478	
CIV	1327330		200.0300		20031101578	Α	19951011		
HC	20050089312	A1	20050428		s 95539339	A	19951004	200530	
03	20030009312	AI	20050420		97887929	A	19970703		
				US		A	19990608		
				US		A	20011211		
				US		A	20041123		
	2601270	ъ2	20050010	JP		A	19941110	200554	
JE	3681370	B2	20050810			A	20021018		
		_	0005000	JP			19941110	200562	N
JE	2005260988	A	20050922	JP		Α	20050404	200302	14
				JP	2005107729	A	20050404		

Priority Applications (No Type Date): JP 94296697 A 19941130; JP 94245618 A 19941011; JP 94265421 A 19941028; JP 94276542 A 19941110; JP 2002304004 A 19941110; JP 200434599 A 20040212; JP 2005107729 A 20050404

Patent Details: Patent No Kind Lan Pg Main IPC Filing Notes GB 2294173 A 172 H04N-007/50

```
58 H04N-005/85
DE 19539400
              A1
                    14 H04N-005/85
JP 8111843
              Α
                    22 H04N-005/78
JP 8130700
              Α
                    20 H04N-005/92
JP 8140043
              Α
                    19 H04N-005/92
JP 8163497
              Α
                    78 H04N-005/85
              C2
DE 19539400
CN 1137151
              Α
                       G11B-020/10
                       H04N-007/50
GB 2294173
              В
                                      Cont of application US 95539339
                       H04N-005/91
US 5949953
              Α
                       G11B-020/10
KR 219748
              В1
                                       Cont of application US 95539339
                        H04N-005/92
US 20010031132 A1
                                      Div ex application US 97887929
                                      Div ex patent US 5949953
                                       Div ex application US 95539339
                        H04N-005/91
US 20020044760 A1
                                      Div ex application US 97887929
                                      Div ex application US 99327953
                                      Previous Publ. patent JP 8111843
                    11 H04N-005/92
JP 3375431
              B2
                                      Previous Publ. patent JP 8140043
JP 3370457
              B2
                    14 H04N-005/92
                                      Previous Publ. patent JP 8163497
                    13 H04N-005/85
JP 3394102
              В2
                                      Cont of application US 95539339
                       H04N-005/781
US 6539164
              В2
                                      Div ex application US 97887929
                                      Div ex patent US 5949953
                                      Div ex application CN 95119130
CN 1404055
              Α
                       G11B-020/10
                                      Div ex application JP 94276542
JP 2003179877 A
                    18 H04N-005/92
                                      Div ex application CN 95119130
CN 1492433
              Α
                       G11B-020/12
                                      Div ex application JP 94265421
                    19 H04N-005/92
JP 2004215291 A
                                      Div ex application CN 95119130
                       H04N-005/91
CN 1527598
              Α
                        H04N-005/781 Div ex application US 95539339
US 20050089312 A1
                                      Div ex application US 97887929
                                      Div ex application US 99327953
                                      Div ex application US 200111284
                                      Div ex patent US 5949953
                                      Div ex patent US 6539164
                                      Div ex application JP 94276542
JP 3681370
                    25 H04N-005/92
              B2
                                      Previous Publ. patent JP 2003179877
                                      Div ex application JP 2002304004
JP 2005260988 A
                    25 H04N-005/93
```

- recording image information table on video disk containing start addresses of MPEG encoded data representing images, and of data required for reproducing coded images
- ...Abstract (Basic): to the I and/or P pictures temporally preceeding and succeeding the B picture. The **start** addresses of **coded** data representing selected images such as images to be retrieved and the start addresses of...

```
(Item 1 from file: 350)
18/3,K/1
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
             **Image available**
011251747
WPI Acc No: 1997-229650/199721
XRPX Acc No: N97-189854
 Reproduction method for compression-encoded MPEG video data - selecting
 user level for encoding, decoding group of pictures when assigned level
  is suitable and skipping without decoding when level is unsuitable
Patent Assignee: SAMSUNG ELECTRONICS CO LTD (SMSU )
Inventor: PARK P; PARK P G
Number of Countries: 005 Number of Patents: 009
Patent Family:
                                            Kind
                                                   Date
                             Applicat No
              Kind
                     Date
Patent No
                                                 19961008
                                                           199721
              A '19970507
                            GB 9620948
                                            Α
GB 2306864
                             JP 96273765
                                             Α
                                                 19961016
                                                           199741
                   19970731
JP 9200731
              Α
                            GB 9620948
                                                 19961008
                                            Α
GB 2306864
              В
                   19980506
                            KR 9537067
                                            Α
                                                           199824
                                                 19951025
              Α
                   19970530
KR 97025151
                            US 96735406
                                                 19961022
                                            Α
                   19990504
US 5899579
              Α
                             JP 96273765
                                            Α
                                                 19961016
JP 3022783
              B2
                   20000321
                            KR 9537067
                                                 19951025
                   19990501
                                             Α
KR 176134
               В1
                                                           200123
                                                 19960924
                            CN 96112862
               Α
                   19970514
                                            . A
CN 1149806
                   20030604 CN 96112862
                                                 19960924
                                            Α
CN 1110967
              С
Priority Applications (No Type Date): KR 9537067 A 19951025
Patent Details:
                         Main IPC
                                     Filing Notes
Patent No Kind Lan Pg
                    28 G11B-020/12
             Α
GB 2306864
                    11 H04N-007/167
JP 9200731
              Α
                       G11B-020/12
GB 2306864
              В
                       H04N-007/24
KR 97025151
              Α
                       H04N-005/91
US 5899579
              Α
                    10 H04N-007/167 Previous Publ. patent JP 9200731
JP 3022783
              B2
                       H04N-007/24
KR 176134
              В1
                       H04N-007/26
CN 1149806
              Α
                       H04N-007/50
              C
CN 1110967
... Abstract (Basic): group of picture (GOP) unit. This unit is set as a
    reproduction level in the user data of the MPEG specification
    when the video data is compression- encoded . During reproduction,
    checking takes place to determine whether the reproduction level is set
    in every...
 18/3,K/2
              (Item 2 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
010419387
             **Image available**
WPI Acc No: 1995-320702/199541
XRPX Acc No: N95-241223
  Digital signal encoding, recording and decoding method and appts. -
  encodes data using CIRC code, adding first and corresponding second
  parities to input signal for error correction of DVD recording
Patent Assignee: SONY CORP (SONY )
Inventor: AKIYAMA Y; FUJINAMI Y; IGARASHI K; IWAMURA R; YONEMITSU J;
   YOSHIMURA S; KAWAMURA M; SHUNJI Y; YONEMITSU
Number of Countries: 020 Number of Patents: 034
 Patent Family:
```

Pat	ent No	Kind	Date		licat No	Kind	Date	Week	_
	9524037	A1	19950908		95JP305	Α	19950228	199541	В
EΡ	673034	A2	19950920		95103980	Α	19950317	199542	
ΑU	9518245	Α	19950918		9518245	Α	19950228	199551	
JΡ	7311950	Α	19951128		9587533	Α	19950320	199605	
TW	265493	Α	19951211	TW	95104993	Α	19950519	199609	
	696799	A1	19960214	EΡ	95909998	Α	19950228	199611	
				WO	95JP305	Α	19950228		
BR	9505853	Α	19960221	BR	955853	Α	19950228	199614	
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				95JP305	Α	19950228		
SG	24104	A1	19960210		95119	Α	19950317	199632	
	7522816	X	19960625		95522816	A	19950228	199648	
ΟE	7522010	Λ	13300023		95JP305	A	19950228		
ше	5592450	A	19970107		95405890	A	19950317	199708	
US	5592450	Α	19970107		95478489	A	19950607	233.00	
	****		10070101		95405890	A	19950317	199710	
US	5596565	Α	19970121			A	19950607	100/10	
		_	10070101		95478496		19950410	199716	
	294809	A	19970101		95103427	A	19950319	199740	
	1115076	Α	19960117		95104080	A			
	681259	В	19970821		9518245	A	19950228	199742	
CN	1124062	Α	19960605		95190147	Α	19950228	199747	
US	5734787	Α	19980331		95405890	Α	19950317	199820	
MX	9504156	A1	19970401	MX	954156	Α	19950929	199821	
	5745505	Α	19980428	WO	95JP305	Α	19950228	199824	
				US	95530303	Α	19950929		
RII	2158970	· C2	20001110	RU	95121738	Α	19950228	200107	
				WO	95JP305	Α	19950228		
MY	194809	В	20000110		954156	A	19950929	200115	
	37327	Ē	20010814		95405890	Α	19950317	200148	
0.5	37327		20010011		95478489	A	19950607		
					99226354	A	19990106		
CNI	1305183	A	20010725		95104080	A	19950319	200164	
CN	1303103	A	20010723		2000132830	A	19950319		
CNI	1222442	А	20020123		95190147	A	19950228	200231	
CN	1332442	А	20020123		2001120751	A	19950228	200202	
	201060	-	00000001		956141	Ā	19950320	200281	
	321268	В	20020624			A	19950228	200304	
CA	2160913	C	20021119		2160913		19950228	200304	
			00000716		95JP305	A	19950317	200354	
ΕP	673034	В1	20030716		95103980	A		200354	
DE	69531265	\mathbf{E}_{\cdot}	20030821	DE		A	19950317	200302	
					95103980	A	19950317	200262	
ΕP	1336963	A2	20030820		95103980	A	19950317	200362	
					200311857	. A	19950317	200412	
KR	384087	В	20030825		95JP305	Α	19950228	200412	
					95704789	A	19951101	000400	
US	38481	E	20040330	US		Α	19950317	200423	
				US		Α	19950607		
				US		Α	19990120		
US	38621	E	20041012	US	95405890	Α	19950317	200469	
				US	2000521187	Α	20000303		
CN	1082227	С	20020403	CN	95190147	Α	19950228	200516	
	1101582	Č	20030212		95104080	Α	19950319	200535	
US		Ē	20050927		95405890	A	19950317	200564	
0.0	50002	_	200300-		95478489	Α	19950607		
					99226354	Α	19990106		
					2000732395	A	20001207		
				Ų.	_000,02000				

Priority Applications (No Type Date): JP 9474445 A 19940319; JP 9456680 A 19940301

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

WO	9524037 Designated	A1 J 47 G11B-020/18 States (National): A	J BR CA CN JP KR MX PL RU SG US VN
	Designated	States (Regional): A	DE ES FR GB IT NL
EP	673034	A2 E 79 G11B-027/32	r ED CD
7.11		States (Regional): DI A G11B-020/18	Based on patent WO 9524037
	9518245		<u>-</u>
	7311950	A 35 G11B-007/00	
	265493	A H03M-007/40	Based on patent WO 9524037
EP	696799	A1 E 29 G11B-020/18	
		States (Regional): A	
	9505853	A G11B-020/18	Based on patent WO 9524037
	24104	A1 G11B-020/12	Deced on matont WO 0524037
	7522816	X G11B-020/18	Based on patent WO 9524037
	5592450	A 59 G11B-005/09	Div ex application US 95405890
	5596565	A 59 G11B-007/24	Div ex application US 95405890
	294809	A G11B-011/12	
	1115076	A G11B-007/00	Design Publication All 0510345
AU	681259	B G11B-020/18	Previous Publ. patent AU 9518245 Based on patent WO 9524037
CN	1124062	A G11B-020/18	•
	5734787	A 64 H04N-005/76	
	9504156	A1 G11B-020/18	
	5745505	A 27 G11B-020/18	Based on patent WO 9524037
	2158970	C2 G11B-020/18	Based on patent WO 9524037
	194809	B G11B-020/01	-
	37327	E G11B-005/09	
00	3,32,		Reissue of patent US 5592450
			Div ex patent US 5734787
CN	1305183	A G11B-007/00	
	1332442	A G10L-019/00	
	321268	B G11B-007/00	
	2160913	C E G11B-020/18	Based on patent WO 9524037
	673034	B1 E G11B-027/32	•
	Designated		E FR GB
DE	69531265	E G11B-027/32	
	1336963	A2 E G11B-020/12	
- 1	1330703	2	Div ex patent EP 673034
	Designated	States (Regional): D	
KR	384087	B G11B-020/18	Previous Publ. patent KR 96002154
1111	301007		Based on patent WO 9524037
115	38481	E G11B-007/24	
00	30101		Reissue of patent US 5596565
		`	Div ex patent US 5734787
פון	38621	E H04N-005/76	
	1082227	C G11B-020/18	- ,
	1101582	C G11B-007/00	
	38802	E H04N-005/91	
UŞ	30002	110411 000/91	Reissue of patent US 37327
			Reissue of patent US 5592450
			Div ex patent US 5734787

^{...}Abstract (Equivalent): out area, and wherein said data is recorded as embossed pits representing modulated, error-correction encoded user information including MPEG -compressed video data and compressed audio data in sectors in user tracks in said program area, representing modulated, error-correction encoded table of contents (TOC) information...

```
(Item 1 from file: 350)
 20/3,K/1
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
015838798
            **Image available**
WPT Acc No: 2003-901002/200382
XRPX Acc No: N03-719381
  Video data protecting method involves unprotecting received data stream
  using encryption key for performing modification and protection to
  unprotected data to generate key protected modified data along with key
  for clients
Patent Assignee: VIXS SYSTEMS INC (VIXS-N); DUCHARME P (DUCH-I); ENG S
  (ENGS-I)
Inventor: DUCHARME P; ENG S
Number of Countries: 104 Number of Patents: 004
Patent Family:
                             Applicat No
                                           Kind
                                                  Date
Patent No
             Kind
                    Date
                   20031106 US 2002137151 A
                                                  20020502
US 20030206636 A1
                  20031113 WO 2003CA623
                                                 20030428 200402
                                            Α
WO 200394510 A1
                   20031117 AU 2003221576
AU 2003221576 A1
                                                 20030428
                                                           200442
                                            Α
                   20031216 TW 2003109442
                                                 20030423 200557
                                            Α
TW 200308168
              Α
Priority Applications (No Type Date): US 2002137151 A 20020502
Patent Details:
                                     Filing Notes
Patent No Kind Lan Pg
                       Main IPC
                   10 H04L-009/00
US 20030206636 A1
                      H04N-007/16
WO 200394510 A1 E
   Designated States (National): AE AG AL AM AT AU AZ BA BB BG BR BY BZ CA
   CH CN CO CR CU CZ DE DK DM DZ EC EE ES FI GB GD GE GH GM HR HU ID IL IN
   IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX MZ NI NO
   NZ OM PH PL PT RO RU SC SD SE SG SK SL TJ TM TN TR TT TZ UA UG US UZ VC
  VN YU ZA ZM ZW
   Designated States (Regional): AT BE BG CH CY CZ DE DK EA EE ES FI FR GB
   GH GM GR HU IE IT KE LS LU MC MW MZ NL OA PT RO SD SE SI SK SL SZ TR TZ
   UG ZM ZW
                                     Based on patent WO 200394510
                       H04N-007/16
AU 2003221576 A1
TW 200308168 A
                       H04N-007/16
Abstract (Basic):
                                                      encoded multimedia
           For protecting video data e.g. MPEG
    content using encryption keys from illicit access and/or tampering...
 20/3,K/2
              (Item 2 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.
013163648
             **Image available**
WPI Acc No: 2000-335521/200029
XRPX Acc No: N00-253211
  Image compression apparatus
Patent Assignee: NIPPON DENKI ENG KK (NIDE )
Number of Countries: 001 Number of Patents: 001
Patent Family:
                                            Kind
                                                   Date
                                                            Week
                     Date
                             Applicat No
Patent No
              Kind
                                                 1998092
                                                           200029 B
                   20000411 JP 98290021
                                            Α
JP 2000106680 A
Priority Applications (No Type Date): JP 98290021 A 19980928
Patent Details:
```

Filing Notes

Main IPC

Patent No Kind Lan Pg

Abstract (Basic):

... A joint **photographic** experts group (**JPEG**) **encoder** (11) **encrypts** the input image data to a differential data. A JPEG decoder (13) process the encoded...

20/3,K/3 (Item 3 from file: 350)
DIALOG(R)File 350:Derwent WPIX
(c) 2005 Thomson Derwent. All rts. reserv.

012241996 **Image available** WPI Acc No: 1999-048103/199905

XRPX Acc No: N99-035220

Processing apparatus for scrambled data stream - determines at primary software module resident in CPU, whether data needs to be protected during subsequent transmission from computer system's CPU

Patent Assignee: INT BUSINESS MACHINES CORP (IBMC); IBM CORP (IBMC) Inventor: CIACELLI M L; FETKOVICH J E; KOULOHERIS J L; LAM W M; URDA J W Number of Countries: 031 Number of Patents: 011

Patent Family: Week Kind Date Applicat No Kind Date Patent No 199905 B EP 98304044 Α 19980521 EP 887723 A2 19981230 19980522 199922 Α 19990120 CN 98108967 Α CN 1205479 19980604 199923 JP 98155092 Α JP 11088859 Α 19990330 19980514 200014 19990125 KR 9817438 Α Α KR 99006449 19980604 200032 20000428 JP 98155092 Α JP 2000124894 A JP 99256788 Α 19980604 200033 19980604 B2 20000619 JP 98155092 Α JP 3053610 200049 TW 98104582 Α 19980326 TW 382092 20000211 Α SG 981473 Α 19980619 200109 SG 77641 20010116 Α1 US 97881139 Α 19970624 200130 20010522 US 6236727 В1 20020227 CN 98108967 Α 19980522 200234 CN 1337624 Α 19980522 CN 2001125552 Α 19980514 200254 20020115 KR 9817438 Α KR 314774 В

Priority Applications (No Type Date): US 97881139 A 19970624

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

EP 887723 A2 E 12 G06F-001/00

Designated States (Regional): AL AT BE CH CY DE DK ES FI FR GB GR IE IT

LI LT LU LV MC MK NL PT RO SE SI G06F-012/14 CN 1205479 Α 60 HO4N-007/167 JP 11088859 Α KR 99006449 Α G06F-011/02 Div ex application JP 98155092 JP 2000124894 A 48 H04L-009/18 Previous Publ. patent JP 11088859 18 H04N-005/91 JP 3053610 B2 G06F-013/38 TW 382092 Α SG 77641 Α1 H04N-007/16 US 6236727 В1 H04N-007/167 Div ex application CN 98108967 G06F-012/14 CN 1337624 A Previous Publ. patent KR 99006449 G06F-011/22 KR 314774 В

...Abstract (Basic): USE - Protecting digital video /audio data eg.

MPEG encoded and CSS encrypted video data as used in eg. digital video disc technology...

21/3,K/1 (Item 1 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2005 Thomson Derwent. All rts. reserv.

012947026 **Image available** WPI Acc No: 2000-118876/200011

XRPX Acc No: N00-090098

MPEG video decoder with reduced memory requirement

Patent Assignee: LSI LOGIC CORP (LSIL-N) Inventor: BELLARD F; KECK W; WISE A P

Number of Countries: 001 Number of Patents: 002

Patent Family:

. . . .

Patent No Kind Date Applicat No Kind Date Week
GB 2339989 A 20000209 GB 9810769 A 19980519 200011 B
GB 2339989 B 20021127 GB 9810769 A 19980519 200303

Priority Applications (No Type Date): GB 9810769 A 19980519

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

GB 2339989 A 32 H04N-007/50 GB 2339989 B H04N-007/50

... Inventor: WISE A P

Abstract (Basic):

... The drawing shows a block diagram of the MPEG video encoder unit...

```
(c) 2005 European Patent Office
File 349:PCT FULLTEXT 1979-2005/UB=20051110,UT=20051103
         (c) 2005 WIPO/Univentio
                Description
Set
        Items
                VIDEO?? OR VIDEO(3N) DATA OR MOVIE?? OR GRAPHIC?? OR IMAGE??
S1
       673903
              OR MOVING() IMAGE?? OR PICTURE? OR PHOTO OR PHOTOS OR PHOTOGR-
             APH??
                (PLURAL AND DIFFERENT OR MANY OR MULTI OR MULTIPLE) (3N) (S1-
          442
S2
             (3N) STANDARD??)
                H()(261 OR 263 OR 264) OR MPEG OR JPEG OR GIF
        27809
S3
                ENCODE?? OR ENCODING
       191987
S4
                (BEGIN OR START?) (3N) (CODE?? OR CODING)
         8886
S5
                (IDENTIFY OR IDENTIFIES OR IDENTIFICATION OR DETECT???) (3N-
          703
S6
             ) S5
        63427
                (USER?? OR EXTENSION) (3N) DATA
s7
                AU=(WISE, A? OR WISE A? OR SOTHERAN, M? OR SOTHERAN M? OR -
S8
             ROBBINS, W? OR ROBBINS W, OR JONES, A? OR JONES A? OR FINCH,
             H? OR FINCH H? OR BOYD, K? OR BOYD K? OR CLAYDON, A? OR CLAY-
                 (SPATIAL OR TEMPORAL) (3N) S1
S9
         9420
                 (DECODE?? OR DECODING) (3N) (S9 OR TOKEN?? OR SYMBOL??)
         4529
S10
                WATER()MARK??? OR MARK??? OR (WATER()MARK??? OR MARK???) (-
       538759
S11
             3N) (CODE?? OR CODING??) OR FINGERPRINT? OR TRIGGER? OR TAG? (3-
             N) OBJECT?? OR ENCRYPT? OR CRYPT?
                H()(261 OR 263 OR 264) AND (MPEG OR JPEG OR GIF)
S12
                 (S1 OR S2 OR S9 OR S10) (3N) (S3 OR S12)
        15400
S13
         2784
                S13(3N)S4
S14
                S14(3N)(S5 OR S6)
           13
S15
                S15(3N)S7
            0
S16
            0
                S15(3N)S11
S17
                 S15 NOT AD=19950202:20051116/PR
           13
S18
                 S18 AND IC=H04N?
           13
S19
                 IDPAT (sorted in duplicate/non-duplicate order)
           13
S20
                 IDPAT (primary/non-duplicate records only)
           13
S21
           13
                 S21 AND S8
S22
                 S22 NOT S20
S23
            0
           23
                 S14(3N)S7
S24
                 S24 AND S11
S25
           14
S26
             6 .
                 S25 NOT S21
                 S26 NOT AD=19950202:20051116/PR
S27
```

File 348:EUROPEAN PATENTS 1978-2005/Nov W01

```
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
00996862
Start code detecting apparatus for video data stream
Vorrichtung zur Startkodedetektierung fur Videodatenstrom
Appareil de detection de code de depart pour un flux de donnees video
PATENT ASSIGNEE:
  Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (Applicant designated States: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
   (GB/)
  Sotheran, Martin William, The Ridings, WickLane Stinchcombe, Dursley,
    Gloucestershire G11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-under-edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Cabinet Hirsch (101611), 34, Rue de Bassano, 75008 Paris, (FR)
PATENT (CC, No, Kind, Date): EP 901287 A2 990310 (Basic)
                              EP 901287 A3
                                             990922
APPLICATION (CC, No, Date):
                              EP 98202166 950228;
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
  EP 674443 (EP 95301301)
INTERNATIONAL PATENT CLASS: HO4N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 112
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
Available Text Language
                                     Word Count
                           Update
      CLAIMS A
               (English)
                           9910
                                       191
                           9910
                                    126718
      SPEC A
                (English)
Total word count - document A
                                    126909
Total word count - document B
Total word count - documents A + B
                                   126909
INTERNATIONAL PATENT CLASS: HO4N-007/24 ...
... SPECIFICATION passing Tokens;
     Figure 64 shows overlapping MPEG start codes (byte aligned);
                                                 codes (not byte aligned);
     Figure 65 shows overlapping MPEG start
     Figure 66 shows jumping between two video sequences;
     Figure 67 shows a...encoded bit streams arranged as a serial bit
  stream of digital bits and having separately encoded pairs of start
  codes and data carried in the serial bit stream, a Start Code Detector
  subsystem having first...
              (Item 2 from file: 348)
 21/3,K/2
DIALOG(R) File 348: EUROPEAN PATENTS
```

21/3,K/1

(Item 1 from file: 348)

(c) 2005 European Patent Office. All rts. reserv.

```
Multistandard decoder for Huffman codes
Mehrnormendekodierer fur Huffmancodes
Decodeur multistandard de codes de Huffman
PATENT ASSIGNEE:
  Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (applicant designated states:
    AT; BE; CH; DE; FR; GB; IE; IT; LI; NL)
INVENTOR:
 Wise Adrian Philip, 10 Westbourne Cottages, Frenchhay, Bristol BS16 1NA,
    (GB)
  Sotheran, Martin William, The Riddin gs, Wick Lane Stinchcombe, Dursley,
    GLoucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Sprin ghill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
PATENT (CC, No, Kind, Date): EP 901286 A1 990310 (Basic)
APPLICATION (CC, No, Date): EP 98202135 (950228);
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
  EP 674443 (EP 953013018)
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 155
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
                                     Word Count
Available Text Language
                           Update
                           9910
                                        390
      CLAIMS A (English)
                           9910
                                     126718
      SPEC A
                (English)
Total word count - document A
                                     127108
                                          0
Total word count - document B
Total word count - documents A + B 127108
INTERNATIONAL PATENT CLASS: H04N-007/24 ...
 ... SPECIFICATION passing Tokens;
     Figure 64 shows overlapping MPEG start codes (byte aligned);
                                                 codes (not byte aligned);
                                          start
     Figure 65 shows overlapping MPEG
     Figure 66 shows jumping between two video sequences;
     Figure 67 shows a...encoded bit streams arranged as a serial bit
  stream of digital bits and having separately encoded pairs of start
  codes and data carried in the serial bit stream, a Start Code Detector
  subsystem having first...
               (Item 3 from file: 348)
 21/3,K/3
 DIALOG(R) File 348: EUROPEAN PATENTS
 (c) 2005 European Patent Office. All rts. reserv.
 00992407
 Pipeline decoding system
```

Pipeline-System zur Dekodierung

00996861

Systeme pipeline de decodage PATENT ASSIGNEE: Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (applicant designated states: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL) INVENTOR: Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB) Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire G11 6BD, (GB) Robbins, William Philip, 19 Springhill, Cam, GLoucestershire GL11 5PE, Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester GL12 7ND, (GB) Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE: Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR) PATENT (CC, No, Kind, Date): EP 897244 Al 990217 (Basic) EP 98202134 950228; APPLICATION (CC, No, Date): PRIORITY (CC, No, Date): GB 9405914 940324 DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL RELATED PARENT NUMBER(S) - PN (AN): EP 674443 (EP 953013018) INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 120 LANGUAGE (Publication, Procedural, Application): English; English FULLTEXT AVAILABILITY: Word Count Available Text Language Update 9907 298 (English) CLAIMS A 126715 9907 (English) SPEC A Total word count - document A 127013 Total word count - document B Total word count - documents A + B 127013 INTERNATIONAL PATENT CLASS: HO4N-007/24 SPECIFICATION converts the tokens. The present invention may also include tokens in the form of a PICTURE code token for indicating that the start of a (underscore) START picture will follow in the subsequent DATA...passing Tokens; Figure 64 shows overlapping MPEG start codes (byte aligned); codes (not byte aligned); start Figure 65 shows overlapping MPEG Figure 66 shows jumping between two video sequences; Figure 67 shows a...encoded bit streams arranged as a serial bit stream of digital bits and having separately encoded pairs of start

21/3,K/4 (Item 4 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.

subsystem having first...

00991424

Start code detecting apparatus for video data stream
Vorrichtung zur Startkodedetektierung fur Videodatenstrom
Appareil de detection de code de depart pour le flux de donnees video

codes and data carried in the serial bit stream, a Start Code Detector

```
PATENT ASSIGNEE:
 Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (Applicant designated States: all)
INVENTOR:
 Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
    (GB)
 Sotheran, Martin William, The Ridings, WickLane Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-under-edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol, BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
PATENT (CC, No, Kind, Date): EP 896477 A2 990210 (Basic)
                              EP 896477 A3 990922
                              EP 98202175 950228;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
  EP 674443 (EP 95301301)
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 95
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
                                     Word Count
                           Update
Available Text Language
                           9906
                                       578
      CLAIMS A (English)
                           9906
                                    126716
                (English)
      SPEC A
Total word count - document A
                                    127294
Total word count - document B
Total word count - documents A + B 127294
INTERNATIONAL PATENT CLASS: H04N-007/24 ...
... SPECIFICATION converts the tokens.
    The present invention may also include tokens in the form of a PICTURE
                      code token for indicating that the start of a
   (underscore) START
  picture will follow in the subsequent DATA...passing Tokens;
     Figure 64 shows overlapping MPEG start codes (byte aligned);
                                                codes (not byte aligned);
                                         start
     Figure 65 shows overlapping MPEG
     Figure 66 shows jumping between two video sequences;
     Figure 67 shows a...encoded bit streams arranged as a serial bit
  stream of digital bits and having separately encoded pairs of start
  codes and data carried in the serial bit stream, a Start Code Detector
   subsystem having first...
```

00991423

21/3,K/5

Start code detecting apparatus for video data stream Vorrichtung zur Startkodedetektierung fur Videodatenstrom

(Item 5 from file: 348)

(c) 2005 European Patent Office. All rts. reserv.

DIALOG(R) File 348: EUROPEAN PATENTS

```
Appareil de detection de code de depart pour un flux de donnees video
PATENT ASSIGNEE:
  Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (Applicant designated States: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
    (GB)
  Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley,
    Gloucerstershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
                                             990210 (Basic)
PATENT (CC, No, Kind, Date):
                             EP 896476 A2
                              EP 896476 A3 990922
                              EP 98202174 950228;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
  EP 674443 (EP 95301301)
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 384
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
                                     Word Count
Available Text Language
                           Update
                                       538
                           9906
      CLAIMS A (English)
                                    126716
                           9906
                (English)
      SPEC A
Total word count - document A
                                    127254
Total word count - document B
                                         0
Total word count - documents A + B
INTERNATIONAL PATENT CLASS: H04N-007/24 ...
... SPECIFICATION converts the tokens.
    The present invention may also include tokens in the form of a PICTURE
                       code token for indicating that the start of a
   (underscore) START
  picture will follow in the subsequent DATA...passing Tokens;
     Figure 64 shows overlapping MPEG start codes (byte aligned);
                                                codes (not byte aligned);
                                         start
     Figure 65 shows overlapping MPEG
     Figure 66 shows jumping between two video sequences;
     Figure 67 shows a...encoded bit streams arranged as a serial bit
  stream of digital bits and having separately encoded pairs of start
  codes and data carried in the serial bit stream, a Start Code Detector
  subsystem having first...
```

21/3,K/6 (Item 6 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.

00991422

Start code detecting apparatus for video data stream

```
Vorrichtung zur Sartkodedetektierung fur v Videodatenstrom
Appareil de detection de code de depart pour un flux de donnees video
PATENT ASSIGNEE:
  Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (Applicant designated States: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
  Sotheran, Martin William, The Riddings, Wick Lane Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, CAM, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
PATENT (CC, No, Kind, Date): EP 896475 A2 990210 (Basic)
                              EP 896475 A3 990922
APPLICATION (CC, No, Date):
                              EP 98202172 950228;
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
  EP 674443 (EP 95301301)
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 315
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
                                     Word Count
Available Text Language
                           Update
                           9906
                                       637
      CLAIMS A (English)
                (English)
                           9906
                                    126716
      SPEC A
Total word count - document A
                                    127353
Total word count - document B
Total word count - documents A + B 127353
INTERNATIONAL PATENT CLASS: H04N-007/24 ...
... SPECIFICATION converts the tokens.
    The present invention may also include tokens in the form of a PICTURE
                      code token for indicating that the start of a
  (underscore) START
  picture will follow in the subsequent DATA...passing Tokens;
     Figure 64 shows overlapping MPEG start codes (byte aligned);
                                         start codes (not byte aligned);
     Figure 65 shows overlapping MPEG
     Figure 66 shows jumping between two video sequences;
     Figure 67 shows a...encoded bit streams arranged as a serial bit
  stream of digital bits and having separately encoded pairs of start
  codes and data carried in the serial bit stream, a Start Code Detector
  subsystem having first...
```

21/3,K/7 (Item 7 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.

```
Start code detecting apparatus for a video data stream
Vorrichtung zur Startkodedetektierung fur Videodatenstrom
Appareil de detection de code de depart pour un flux de donnees video
PATENT ASSIGNEE:
  Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (Applicant designated States: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
    (GB)
  Sotheran, Martin William, The Ridings, Wick Lane Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-under-edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Cabinet Hirsch (101611), 34, Rue de Bassano, 75008 Paris, (FR)
PATENT (CC, No, Kind, Date): EP 896474 A2
                                            990210 (Basic)
                              EP 896474 A3 990915
APPLICATION (CC, No, Date):
                             EP 98202171 950228;
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
            (EP 95301301)
  EP 674443
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 136
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
                           Update
                                     Word Count
Available Text Language
                           9906
                                       771
      CLAIMS A
               (English)
                           9906
                                    126716
      SPEC A
                (English)
Total word count - document A
                                    127487
Total word count - document B
Total word count - documents A + B 127487
INTERNATIONAL PATENT CLASS: HO4N-007/24 ...
... SPECIFICATION converts the tokens.
    The present invention may also include tokens in the form of a PICTURE
                       code token for indicating that the start of a
  (underscore) START
  picture will follow in the subsequent DATA...passing Tokens;
     Figure 64 shows overlapping MPEG start codes (byte aligned);
                                                 codes (not byte aligned);
     Figure 65 shows overlapping MPEG
                                         start
     Figure 66 shows jumping between two video sequences;
     Figure 67 shows a...encoded bit streams arranged as a serial bit
  stream of digital bits and having separately encoded pairs of start
  codes and data carried in the serial bit stream, a Start Code Detector
  subsystem having first...
```

21/3,K/8 (Item 8 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.

```
Start code detecting apparatus for video data stream
Vorrichtung zur Startkodedetektierung fur Videodatenstrom
Appareil de detection de code de depart pour un flux de donnees video
PATENT ASSIGNEE:
  Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA
    92614, (US), (Applicant designated States: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
    (GB)
  Sotheran, Martin William, The Ridings, Wick Lane Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-under-edge, Gloucester GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Cabinet Hirsch (101611), 34, Rue de Bassano, 75008 Paris, (FR)
PATENT (CC, No, Kind, Date): EP 896473 A2
                                             990210 (Basic)
                                             990915
                              EP 896473 A3
                              EP 98202170 950228;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED PARENT NUMBER(S) - PN (AN):
  EP 674443 (EP 95301301)
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 307
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
                                     Word Count
Available Text Language
                           Update
                           9906
                                       455
      CLAIMS A (English)
                                    126716
                (English) 9906
      SPEC A
                                    127171
Total word count - document A
Total word count - document B
Total word count - documents A + B 127171
INTERNATIONAL PATENT CLASS: H04N-007/24 ...
... SPECIFICATION converts the tokens.
    The present invention may also include tokens in the form of a PICTURE
                      code token for indicating that the start of a
  (underscore) START
  picture will follow in the subsequent DATA...passing Tokens;
     Figure 64 shows overlapping MPEG start codes (byte aligned);
                                                 codes (not byte aligned);
     Figure 65 shows overlapping MPEG
                                         start
     Figure 66 shows jumping between two video sequences;
     Figure 67 shows a...encoded bit streams arranged as a serial bit
  stream of digital bits and having separately encoded pairs of start
  codes and data carried in the serial bit stream, a Start Code Detector
  subsystem having first...
```

21/3,K/9 (Item 9 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.

Pipeline decoding system Pipeline-System zur Dekodierung Systeme pipeline de decodage PATENT ASSIGNEE: Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Proprietor designated states: all) INVENTOR: Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB) Sotheran, Martin William, The Ridings, Wick Lane Stichcombe, Dursley, Gloucestershire GL11 6BD, (GB) Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE, Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, GLoucester GL12 7ND, (GB) Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE: Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR) 990113 (Basic) PATENT (CC, No, Kind, Date): EP 891088 A1 EP 891088 B1 010509 EP 98202133 950228; APPLICATION (CC, No, Date): PRIORITY (CC, No, Date): GB 9405914 940324 DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL RELATED PARENT NUMBER(S) - PN (AN): EP 674443 (EP 95301301) INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 269 NOTE: Figure number on first page: 38 LANGUAGE (Publication, Procedural, Application): English; English FULLTEXT AVAILABILITY: Word Count Update Available Text Language 662 199902 (English) CLAIMS A 200119 778 (English) CLAIMS B 200119 770 (German) CLAIMS B (French) 200119 881 CLAIMS B

INTERNATIONAL PATENT CLASS: HO4N-007/24 ...

(English)

(English)

Total word count - documents A + B 250717

199902

200119

...SPECIFICATION This information is then kept for further reference to be used in processing another different **coded** data picture.

Re-ordering of the **MPEG encoded pictures** for visual display involves the possibility that a desired scrambled picture can be achieved by...

126651

120956

127332

123385

21/3,K/10 (Item 10 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.

00975324

SPEC A

SPEC B

Total word count - document A

Total word count - document B

Pipeline decoding system
Pipeline-System zur Dekodierung

Systeme pipeline de decodage PATENT ASSIGNEE: Discovision Associates, (260275), 2355 Main Street, Suite 200, Irvine, CA 92614, (US), (Proprietor designated states: all) INVENTOR: Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA, (GB) Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire GL11 6BD, (GB) Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE, Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucesterhire GL12 7ND, (GB) Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB) LEGAL REPRESENTATIVE: Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR) EP 884910 A1 981216 (Basic) PATENT (CC, No, Kind, Date): EP 884910 B1 010509 EP 98202132 950228; APPLICATION (CC, No, Date): PRIORITY (CC, No, Date): GB 9405914 940324 DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL RELATED PARENT NUMBER(S) - PN (AN): EP 674443 (EP 95301301) INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38 ABSTRACT WORD COUNT: 104

Figure number on first page: 76

LANGUAGE (Publication, Procedural, Application): English; English; English; FULLTEXT AVAILABILITY:

```
Word Count
                            Update
Available Text Language
                            199851
                                           498
      CLAIMS A
                (English)
                                         330
                            200119
      CLAIMS B
               (English)
                                         308
                            200119
      CLAIMS B
                 (German)
                            200119
                                         382
                  (French)
      CLAIMS B
                 (English)
                            199851
                                        126705
      SPEC A
                                     122739
      SPEC B
                 (English)
                            200119
                                     127222
Total word count - document A
                                     123759
Total word count - document B
Total word count - documents A + B 250981
```

INTERNATIONAL PATENT CLASS: H04N-007/24 ...

...SPECIFICATION to recognition of at least one token. One of the processing stages may be a **Start Code Detector** which receives the input and generates and/or converts the tokens.

The present invention may...

...SPECIFICATION encoded bit streams arranged as a serial bit stream of digital bits and having separately **encoded** pairs of **start codes** and **data** carried in the serial bit stream, a Start Code Detector subsystem having first, second and...

```
21/3,K/11 (Item 11 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
```

00711606

NOTE:

Start code detector for image sequences

```
Detektor fur den Startcode von Bildsequenzen
Detecteur de code de depart pour sequences d'images
PATENT ASSIGNEE:
  DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA
    92714, (US), (Proprietor designated states: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol BS16 1NA,
    (GB)
  Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley,
    Gloucestershire GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire GL11 5PE,
    (GB)
  Finch, Helen Rosemary, Tyley, Coombe, Wotton-Under-Edge, Gloucester. GL12
    7ND, (GB)
  Boyd, Kevin James, 21 Lancashire Road, Bristol BS7 9DL, (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
                                              950927 (Basic)
                               EP 674443
                                         A2
PATENT (CC, No, Kind, Date):
                                              951213
                               EP 674443
                                          A3
                                              981223
                               EP 674443
                                          A3
                               EP 674443
                                          В1
                                              010509
                               EP 95301301 950228;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
RELATED DIVISIONAL NUMBER(S) - PN (AN):
  EP 891089
             (EP 98202149)
     (EP 98202154)
             (EP 98202132)
  EP 884910
             (EP 98202133)
  EP 891088
             (EP 98202134)
  EP 897244
             (EP 98202135)
  EP 901286
  EP 901287
              (EP 98202166)
              (EP 98202170)
  EP 896473
              (EP 98202171)
  EP 896474
              (EP 98202174)
  EP 896476
             (EP 98202172)
  EP 896475
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38
ABSTRACT WORD COUNT: 102
NOTE:
  Figure number on first page: 61
LANGUAGE (Publication, Procedural, Application): English; English
 FULLTEXT AVAILABILITY:
                                      Word Count
                            Update
Available Text
                Language
                                       2897
                            EPAB95
                 (English)
      CLAIMS A
                            200119
                                        647
                 (English)
      CLAIMS B
                                         609
                            200119
      CLAIMS B
                  (German)
                                        752
                  (French)
                            200119
      CLAIMS B
                            EPAB95
                                     128616
      SPEC A
                 (English)
                            200119
                                      122384
                 (English)
       SPEC B
                                      131543
 Total word count - document A
                                      124392
 Total word count - document B
                                     255935
 Total word count - documents A + B
 INTERNATIONAL PATENT CLASS: HO4N-007/24 ...
 ... SPECIFICATION of certain sequences in the input bitstream.
                                                           JPEG - encoded
     In addition, off chip DRAMs are used for decoding
   video pictures in real time. The size and speed of the buffers used
```

with the DRAMs will...

...SPECIFICATION Picture structure

The macroblock construction defined for MPEG is the same as that used by H . 261 . The picture dimensions are encoded in the coded data.

For standard 4:2:0 operation, the macroblock characteristics should be configured as indicated...

21/3,K/12 (Item 12 from file: 348)
DIALOG(R)File 348:EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.

00711605

Reconfigurable data processing stage

Rekonfigurierbare Datenverarbeitungsstufe

Etage d'operation de donnees reconfigurable

PATENT ASSIGNEE:

DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA 92714, (US), (Proprietor designated states: all)

INVENTOR:

Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol, BS16 1NA, (GB)

Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley, Gloucestershire, GL11 6BD, (GB)

Robbins, William Philip, 19 Springhill, Cam, Gloucestershire, GL11 5PE, (GB)

LEGAL REPRESENTATIVE:

Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20, rue Louis Chirpaz, 69131 Ecully Cedex, (FR)

PATENT (CC, No, Kind, Date): EP 674446 A2 950927 (Basic)

EP 674446 A3 960814 EP 674446 B1 010801

APPLICATION (CC, No, Date): EP 95301300 950228;

PRIORITY (CC, No, Date): GB 9405914 940324

DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL

INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-013/00; G06F-009/38

ABSTRACT WORD COUNT: 144

NOTE:

Figure number on first page: 10

LANGUAGE (Publication, Procedural, Application): English; English; English FULLTEXT AVAILABILITY:

Word Count Available Text Language Update CLAIMS A (English) EPAB95 2475 200131 1079 CLAIMS B (English) 200131 1072 CLAIMS B · (German) 200131 1186 CLAIMS B (French) EPAB95 125236 SPEC A (English) SPEC B (English) 200131 121335 Total word count - document A 127738 Total word count - document B 124672 Total word count - documents A + B 252410

INTERNATIONAL PATENT CLASS: HO4N-007/24 ...

- ...SPECIFICATION END. The still encoded picture data leaving the Start Code Detector consists of pictures starting with a PICTURE
- ...SPECIFICATION invention, the Spatial Decoder and the Temporal Decoder

are required to implement both an MPEG $\,$ encoded $\,$ signal and an $\,$ H $\,$. 261 $\,$ video $\,$ decoding system. The DRAM interfaces on both devices are configurable to allow the quantity of...

```
21/3,K/13
               (Item 13 from file: 348)
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
00711604
Serial data processing using a pipeline
Verarbeitung serieller Daten mittels einer Pipeline
Traitement de donnees en serie par pipeline
PATENT ASSIGNEE:
  DISCOVISION ASSOCIATES, (260273), 2355 Main Street Suite 200, Irvine, CA
    92714, (US), (Proprietor designated states: all)
INVENTOR:
  Wise, Adrian Philip, 10 Westbourne Cottages, Frenchay, Bristol, BS16 1NA,
  Sotheran, Martin William, The Ridings, Wick Lane, Stinchcombe, Dursley,
    Gloucestershire, GL11 6BD, (GB)
  Robbins, William Philip, 19 Springhill, Cam, Gloucestershire, GL11 5PE,
    (GB)
LEGAL REPRESENTATIVE:
  Vuillermoz, Bruno et al (72791), Cabinet Laurent & Charras B.P. 32 20,
    rue Louis Chirpaz, 69131 Ecully Cedex, (FR)
PATENT (CC, No, Kind, Date):
                              EP 674442 A2
                                             950927 (Basic)
                              EP 674442 A3 960814
                              EP 674442 B1
APPLICATION (CC, No, Date):
                              EP 95301299 950310;
PRIORITY (CC, No, Date): GB 9405914 940324
DESIGNATED STATES: AT; BE; CH; DE; FR; GB; IE; IT; LI; NL
INTERNATIONAL PATENT CLASS: H04N-007/24; G06F-019/00; G06F-009/38
ABSTRACT WORD COUNT: 125
NOTE:
  Figure number on first page: 58
LANGUAGE (Publication, Procedural, Application): English; English; English
FULLTEXT AVAILABILITY:
                                      Word Count
Available Text Language
                           Update
                (English)
                           200107
                                       1004
      CLAIMS B
                                        995
      CLAIMS B
                 (German)
                           200107
      CLAIMS B
                                       1110
                 (French)
                           200107
      SPEC B
                (English)
                           200107
                                     121334
Total word count - document A
```

INTERNATIONAL PATENT CLASS: HO4N-007/24 ...

Total word count - documents A + B 124443

Total word count - document B

...SPECIFICATION employing a plurality of stages interconnected by a two-wire interface, further characterized by a **start code detector** responsive to the single serial bit stream for generating control tokens and DATA tokens for...

124443

```
(Item 1 from file: 348)
 27/3.K/1
DIALOG(R) File 348: EUROPEAN PATENTS
(c) 2005 European Patent Office. All rts. reserv.
01379929
Method and device for recording sub-titles
Verfahren und Anlage zur Aufnahme von Untertiteln
Procede et appareil pour enregistrer des sous-titres
PATENT ASSIGNEE:
  DEUTSCHE THOMSON-BRANDT GMBH, (473914), Hermann-Schwer-Strasse 3, 78048
    Villingen-Schwenningen, (DE), (Applicant designated States: all)
INVENTOR:
  Winter, Marco, Bohmerstrasse 17, 30173 Hannover, (DE)
  Adolph, Dirk, Wallbrink 2, 30952 Ronnenberg, (DE)
LEGAL REPRESENTATIVE:
  Rittner, Karsten, Dr. et al (91041), Deutsche Thomson-Brandt GmbH,
    Karl-Wiechert-Allee 74, 30625 Hannover, (DE)
PATENT (CC, No, Kind, Date): EP 1173032 A1 020116 (Basic)
                              EP 2001116090 010703;
APPLICATION (CC, No, Date):
PRIORITY (CC, No, Date): EP 2000115273 000714
DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;
  LU; MC; NL; PT; SE; TR
EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI
INTERNATIONAL PATENT CLASS: H04N-009/82
ABSTRACT WORD COUNT: 100
NOTE:
  Figure number on first page: 8
LANGUAGE (Publication, Procedural, Application): English; English
FULLTEXT AVAILABILITY:
                                     Word Count
Available Text Language
                           Update
      CLAIMS A (English)
                                       513
                           200203
                                       3564
                           200203
                (English)
      SPEC A
                                       4077
Total word count - document A
Total word count - document B
Total word count - documents A + B
                                       4077
... SPECIFICATION Teletext, Videotext or Closed Caption format is that most
  television sets currently available on the market are already provided
  with corresponding decoders. Therefore, a user having a DVD player and a
 ...CLAIMS Method according to one of the claims 1 to 5, wherein said video
      data are encoded according to an MPEG video standard and
                     data of a picture layer or a GOP layer and wherein
      include user
      said second sub-title data...
               (Item 2 from file: 348)
 27/3.K/2
 DIALOG(R) File 348: EUROPEAN PATENTS
 (c) 2005 European Patent Office. All rts. reserv.
 01379430
```

Method and device for recording sub-titles
Verfahren und Vorrichtung zur Aufnahme von Untertiteln
Procede et dispositif pour enregistrer des sous-titres
PATENT ASSIGNEE:

DEUTSCHE THOMSON-BRANDT GMBH, (473914), Hermann-Schwer-Strasse 3, 78048 Villingen-Schwenningen, (DE), (Applicant designated States: all) INVENTOR:

Winter, Marco, Bohmerstrasse 17, 30173 Hannover, (DE) Adolph, Dirk, Wallbrink 2, 30952 Ronnenberg, (DE)

LEGAL REPRESENTATIVE:

Rittner, Karsten, Dr. et al (91041), Deutsche Thomson-Brandt GmbH, Karl-Wiechert-Allee 74, 30625 Hannover, (DE)

PATENT (CC, No, Kind, Date): EP 1173031 A1 020116 (Basic) APPLICATION (CC, No, Date): EP 2000115273 000714;

DESIGNATED STATES: AT; BE; CH; CY; DE; DK; ES; FI; FR; GB; GR; IE; IT; LI;

LU; MC; NL; PT; SE

EXTENDED DESIGNATED STATES: AL; LT; LV; MK; RO; SI

INTERNATIONAL PATENT CLASS: H04N-009/82

ABSTRACT WORD COUNT: 100

NOTE:

Figure number on first page: 8

LANGUAGE (Publication, Procedural, Application): English; English FULLTEXT AVAILABILITY:

Available Text Language Update Word Count CLAIMS A (English) 200203 513 3566 200203 (English) SPEC A Total word count - document A 4079 Total word count - document B 0 Total word count - documents A + B 4079

- ...SPECIFICATION Teletext, Videotext or Closed Caption format is that most television sets currently available on the market are already provided with corresponding decoders. Therefore, a user having a DVD player and a
- ...CLAIMS Method according to one of the claims 1 to 5, wherein said video video standard and data are encoded according to an MPEG data of a picture layer or a GOP layer and wherein said second sub-title data...